UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/618,140	07/10/2003	Albert K. Chin	26448-07931	4442
758 FENWICK & V	7590 10/15/200 VEST LLP	EXAMINER		
SILICON VAL		LANG, AMY T		
801 CALIFORNIA STREET MOUNTAIN VIEW, CA 94041			ART UNIT	PAPER NUMBER
			3731	
			MAIL DATE	DELIVERY MODE
			10/15/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/618,140	CHIN, ALBERT K.		
Office Action Summary	Examiner	Art Unit		
	AMY T. LANG	3731		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on <u>06 At</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 1-11 is/are pending in the application. 4a) Of the above claim(s) 10 and 11 is/are with 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-9 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on is/are: a) ☐ access Applicant may not request that any objection to the or	drawn from consideration. r election requirement. r. epted or b) objected to by the Edrawing(s) be held in abeyance. See	e 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correct		• •		
11) The oath or declaration is objected to by the Ex	ammer, Note the attached Office	Action of form PTO-152.		
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some color None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.				
Attachment(s) 1) ☑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☑ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 08/06/2008.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate		

Application/Control Number: 10/618,140 Page 2

Art Unit: 3731

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 08/06/2008 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vaska (US 2008/0045946 A1).

Art Unit: 3731

With regard to **claim 1**, Vaska discloses a surgical procedure performed on the heart of a patient to surround and isolate the pulmonary veins (see entire document). The procedure comprises forming an entry incision in a subxiphoid location and placing an ablation device through the incision ([0008]; [0090]). The device is then inserted through an incision formed in the pericardium and beyond the left superior pulmonary vein ([0090]). Next, the ablation probe contacts the pericardial reflection superior to the right superior pulmonary veins ([0091]; [0092]).

However, Vaska does not specifically disclose the instantly claimed steps of forming an opening in the first, second, and third reflections to surround and isolate the left and right pulmonary veins. Vaska does disclose a method to surround and isolate the pulmonary veins in a patient and wherein the reflections are punctured to from openings ([0094]; [0095]). Therefore, it would have been obvious to one of ordinary skill at the time of the invention for Vaska to form the openings in the instantly claimed second and third reflections while isolating the left and right pulmonary veins.

Therefore, Vaska would disclose a method of surrounding and isolating the left and right pulmonary veins by forming an incision in a subxiphoid location and forming openings in the claimed reflections.

With regard to **claim 2**, the ablation probe of Vaska is energized to ablate atrial tissue ([0073]).

With regard to **claim 3**, it is the examiner's position that forming an entry incision in a subxiphoid location would inherently comprise exposing the linea alba absent evidence to the contrary.

With regard to **claim 4**, it is the examiner's position that forming an incision in a subxiphoid location, a subcostal location, to surround and isolate the pulmonary veins would intrinsically comprise exposing the anterior rectus sheath, retracting the rectus muscles, incising the posterior rectus sheath, and forming a tract through the incisions and the muscular diaphragm into the pleural cavity absent evidence to the contrary.

With regard to **claims 5-7**, it is the examiner's position that forming openings in the claimed reflections would intrinsically include grasping a portion of each reflection to form an aperture therein, absent evidence to the contrary.

With regard to **claim 8**, Vaska also discloses the use of an endoscope with the ablation device ([0090]; [0097).

With regard to **claim 9**, Figure 2E discloses wherein the ablating device forms a loop.

Response to Arguments

5. Applicant's arguments with respect to claims 1-9 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AMY T. LANG whose telephone number is (571)272-9057. The examiner can normally be reached on M-F 8:30am-5:00pm.

Application/Control Number: 10/618,140 Page 5

Art Unit: 3731

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Todd Manahan can be reached on 571-272-4713. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

10/06/2008 /Amy T Lang/ Examiner, Art Unit 3731

/Todd E Manahan/ Supervisory Patent Examiner, Art Unit 3731